

# CC

240 / 360

## 1STPLAYER CPU LIQUID COOLER



### FEATURES:

- High-density fin radiator for efficient heat dissipation
- aRGB lighting that synchronizes with the motherboard
- Copper endothermic cold plate for optimal heat absorption
- Temperature-controlled 9-blade FDB fan for low noise operation
- Compatible with Intel 1851 / 1700 / 2011 / 115x / 1366 and AMD AM5 / AM4 / AM3 / AM2 / FM2 / FM1 sockets
- Cooling head provides real-time display of temperature for precise monitoring
- 5-year warranty covers long-term product support



CPU LIQUID COOLER  
CC 240 / 360

V251219K

# REVISION HISTORY

<b>Version Number</b>	<b>Modification Description</b>	<b>Modified By</b>
V250417B	Updated Warranty	Ben
V250428B	Updated Features, Supported cpu	Ben
V250807K	Added TDP	Kane
V251219K	Warranty period extended from 3 years to 5 years	Kane

# SPECIFICATIONS


MODEL		CC240	CC360
SUPPORTED CPU		Intel 1851 / 1700 / 2011 / 115x / 1366 AMD AM5 / AM4 / AM3 / AM2 / FM2 / FM1	
TDP		200 W	300 W
WARRANTY		5-year warranty	
RADIATOR	DIMENSIONS(L x W x H)	277 x 119 x 27 mm	397 x 120 x 27 mm
	MATERIALS	Aluminum	
TUBE	DIMENSION	350 mm	380 mm
PUMP	DIMENSIONS(L x W x H)	73.7 x 73.7 x 58.4 mm	74 x 89.2 x 51.8 mm
	SPEED	2500 RPM $\pm$ 10%	
	NOISE	$\leq$ 30 dB(A)	
	CONNECTOR	3pin + aRGB	
	RATED VOLTAGE	12 V DC	
	RATED CURRENT	$\leq$ 0.30 A	
	POWER CONSUMPTION	$\leq$ 3.6 W	
FAN	QTY	2pcs	3pcs
	DIMENSIONS(L x W x H)	120 x 120 x 25 mm	
	SPEED	800 - 2000 RPM $\pm$ 10%	
	AIRFLOW	71.18 CFM	
	AIR PRESSURE	2.19 mmAq	
	NOISE	$\leq$ 32.874 dB(A)	
	CONNECTOR	4 pin + aRGB	
	BEARING TYPE	Hydro Bearing	
	RATED VOLTAGE	12V DC	
	RATED CURRENT	0.22 A $\pm$ 10%	
	POWER CONSUMPTION	2.64 W $\pm$ 10%	

# PICTURES



CPU LIQUID COOLER  
CC 240

# PICTURES



CPU LIQUID COOLER  
CC 360