

TS1

TS1-240 / TS1-360

**1STPLAYER
CPU LIQUID COOLER**



FEATURES:

- 9-blade fan for low noise operation
- High-density fin radiator for efficient heat dissipation
- aRGB lighting that synchronizes with the motherboard
- Copper endothermic cold plate for optimal heat absorption
- Compatible with Intel LGA 1851 / 1700 / 1200 / 115x and AMD AM5 / AM4
- 5-year warranty covers long-term product support



**CPU LIQUID COOLER
TS1-240 / TS1-360
V251219K**

REVISION HISTORY

Version Number	Modification Description	Owner
V250417B	Updated Warranty	Ben
V250421B	Updated TDP	Ben
V250424B	Updated Pictures	Ben
V250428B	Updated Features, Supported cpu	Ben
V251219K	Warranty period extended from 3 years to 5 years	Kane

SPECIFICATIONS


MODEL		TS1 240	TS1 360
SUPPORTED CPU		Intel LGA 1851 / 1700 / 1200 / 115x AMD AM5 / AM4	
WARRANTY		5-year warranty	
TDP		270 W	305 W
RADIATOR	DIMENSIONS(L x W x H)	277 x 120 x 27 mm	394 x 120 x 27 mm
	MATERIALS	Aluminum	
TUBE	DIMENSION	330 mm	400 mm
PUMP	DIMENSIONS(L x W x H)	84.5 x 70 x 47.2 mm	
	SPEED	600 - 3000 RPM \pm 10%	
	NOISE	15 dB(A)	
	CONNECTOR	4 pin (PWM)	
	RATED VOLTAGE	12V DC	
	RATED CURRENT	\leq 0.35 A	
	POWER CONSUMPTION	\leq 4.2 W	
FAN	DIMENSIONS(L x W x H)	240 x 120 x 25.4 mm	360 x 120 x 25.4 mm
	SPEED	600 - 1800 RPM \pm 10%	
	AIRFLOW	81.5 CFM	81.5 CFM
	AIR PRESSURE	2.3 mmAq	
	NOISE	\leq 33 dB(A)	\leq 36 dB(A)
	CONNECTOR	4 pin (PWM)	
	BEARING TYPE	Hydraulic Bearing	
	RATED VOLTAGE	12V DC	
	RATED CURRENT	0.65 A \pm 10%	1 A \pm 10%
	POWER CONSUMPTION	7.8 W \pm 10%	12 W \pm 10%
LED	LED TYPE	aRGB LED	
	LED RATED VOLTAGE	5V DC	
	LED RATED POWER	1.8 W (PUMP) / 1.44 W x 2(FAN x 2)	1.8 W (PUMP) / 1.44 W x 2 (FAN x 2)
	CONNECTOR	3 pin (+5V)	

PICTURES



CPU LIQUID COOLER
TS1-240-BK

PICTURES




CPU LIQUID COOLER
TS1-240-WH

PICTURES



CPU LIQUID COOLER
TS1-360-BK

PICTURES



CPU LIQUID COOLER
TS1-360-WH