

TS4

TS4-240 / TS4-360

**1STPLAYER
CPU LIQUID COOLER**



FEATURES:

- Real-time system usage and temperature display
- 9-blade fan for low noise operation
- High-density fin radiator for efficient heat dissipation
- aRGB lighting that synchronizes with the motherboard
- Copper endothermic cold plate for optimal heat absorption
- Compatible with Intel LGA 1851 / 1700 / 1200 / 115x and AMD AM5 / AM4 sockets
- 5-year warranty covers long-term product support



**CPU LIQUID COOLER
TS4-240 / TS4-360**

V260119K

REVISION HISTORY

Version Number	Modification Description	Modified By
V250417B	Updated Warranty	Ben
V250419B	Updated Weight	Ben
V250421B	Updated TDP	Ben
V250428B	Updated Features, Supported cpu	Ben
V251219K	Warranty period extended from 3 years to 5 years	Kane
V260119K	Connector types corrected	Kane

SPECIFICATIONS

MODEL		TS4 240	TS4 360
SUPPORTED CPU		Intel LGA 1851 / 1700 / 1200 / 115x AMD AM5 / AM4	
WARRANTY		5-year warranty	
WEIGHT		G.W.: 1.8 kg	G.W.: 2.2 kg
TDP		250 W	300 W
RADIATOR	MATERIAL	Aluminum	
	DIMENSIONS(L x W x H)	277 x 120 x 27 mm	394 x 120 x 27 mm
PUMP	TUBE LENGTH	330 mm	400 mm
	DIMENSIONS(L x W x H)	85 x 70 x 47.5 mm	
	SPEED	800 ± 200 - 3000 RPM ± 10%	
	FLOW	1.0 L / min	
	NOISE	18 dB(A)	
	CONNECTOR	4-pin (PWM)	
	RATED VOLTAGE	12V DC	
	RATED CURRENT	≤0.35 A	
	POWER CONSUMPTION	≤4.2 W	
FAN	DIMENSIONS(L x W x H)	240 x 120 x 25.4 mm	394 x 120 x 27 mm
	SPEED	800 ± 200 - 1800 RPM ± 10%	
	AIRFLOW	77 CFM	
	AIR PRESSURE	2.2 mmH ₂ O	
	NOISE	≤36 dB(A)	≤38 dB(A)
	CONNECTOR	4-pin (PWM) + 3-pin (ARGB)	
	BEARING TYPE	Hydraulic Bearing	
	RATED VOLTAGE	12V DC	
	RATED CURRENT	0.65 A ± 10%	1 A ± 10%
	POWER CONSUMPTION	7.8 W ± 10%	12 W ± 10%
LED	LED TYPE	Addressable RGB	
	RATED VOLTAGE	5V DC	
	RATED POWER	1.8 W	
	FAN RATED POWER	2.88 W	4.32 W

PICTURES



CPU LIQUID COOLER
TS4-240-BK

PICTURES



CPU LIQUID COOLER
TS4-360-WH